

### **NEW 2023!**

## Giotto **folding** ladder

Folding steel ladders are fairly common and many customers have been asking a folding version of our Giotto ladders for many years.

It took us some time, but we are now very satisfied with the technical solutions we are providing for the hinges.

The folding mechanism is extremely compact, elegant, durable and easy to use. And of course very light.

You can finally have a carbon ladder which you can leave installed on the boat during sailing.

You just need to raise the 3 bottom steps (2 on the 4 steps version) and lock them to the convenient clamps, to rest them parallel to the upper part of the ladder.

Available from 4 to 7 steps, from 40 cm to 65 cm wide, starting at less than 4 kg.







### Carbon fiber swim ladders

Your yacht may need different ladders for different climbs.

Exit Carbon Ladders enables you to combine different modules when and where you need them. Our range of ladders is the light, fully customizable carbon fiber swim ladder solution for small yachts to cruising ships.

**Giotto** swimming pool style ladders with <u>80 cm tall grips</u>, for maximum comfort when at anchor, are available in <u>6 different widths</u> and with the length going <u>from 3 up to 10 steps</u>, also in <u>2 parts configuration</u> which gives you 3 different length ladders for the price of one. You can also have a <u>folding variant</u>, with the bottom 3 steps (2 on the 4 steps models) which are hinged. You can raise them out of the water when sailing, without removing the ladder from its fittings.

Dalì are fold-up swim platform ladders which can be left on the stern during navigation.

Two different kinds of <u>standalone grips</u>, 35 cm tall **Mirò** (0.7 kg) and 90 cm tall **Leonardo** (0.95 kg), both with quick release hand operated screws, can be added on deck when at anchor for maximum comfort.

#### **TECHNICAL DATA**

LENGTH	900 mm to 3600 mm
WIDTH	400, 450, 500, 550, 600, 650 mm
STEP DISTANCE	300 mm
WEIGHT	2.5 to 14 Kg
2 PARTS LADDERS	2+3, 3+3, 3+4, 4+4, 5+5







Exit Carbon's Giotto ladder received the DAME Award Special Mention





## Table of Contents

Giotto	5
Dalì	6
Leonardo & Mirò - Grips	7
Technical Data Sheet	8-9
Deployment	10-12
Customization	13
Price List	14-17
Our Technology	18



### Giotto

A carbon swim ladder with 80 cm tall grips for climbing comfort and great strength. Starting at 2.5 kg weight (3 steps, 40 cm wide model), it's as easy and safe as possible to remove and disassemble for easy storage. No risk of damaging your yacht with such a lightweight ladder.


It can be ordered in 2 parts configurations to multiply its uses, connecting one or the other or both segments to the grips thus building with the same structure ladders with different lengths.

#### **NEW 2023**

You can also buy folding versions, which can be left installed on the boat, raising out of the water only the bottom 3 steps when you are sailing.

Available from 3 to 10 steps, from 40 cm to 65 cm wide, enhanced with Exit Carbon's signature round section steps designed to maximum comfort on bare feet.

Giotto ladders can be installed on a flat swimming platform or on the side of the boat, with very small adjustments in the configuration: this ladder is the one solution for multiple uses.



### Dalì

A carbon alternative to the standard ladder most sailors want to have on their stern.

Carbon is lighter than aluminium, stronger than steel and doesn't rust.

It can fold up on the swim platform (of course recesses can be made, as with common steel ladders) and be there all the time, as your safety ladder, ready for immediate deployment.

You can also detach it from the yacht, by pulling the 2 spring loaded side pins and lifting the ladder.

With a starting weight of 2.5 kg (3 steps, 40 cm wide model), this is much easier and safer than with any other kind of ladder.

Only 2 extra-small brackets will remain on the boat.






## Handles / Grips / Handrails

Tall "swimming pool" style or standard size ladder grips, they can be left on deck or taken away with a few turns of a hand operated screw. They are available alone or they can be combined with Dalì or with your already existing ladder, anyway you want. Their astonishing lightness, at less than 1 kg each, provides the safety of the most secure handrail right when you need it, during descent and ascent from the water, without any obstacle left on your boat when under way.

Leonardo 90 cm tall Grips (0.95 kg)





Mirò 35 cm tall Grips (0.7 kg)




## Elements

Α	Giotto 80 cm tall Grips
В	3 steps upper segment
С	4 steps bottom segment
A+B+C	Giotto 2 parts
E	Dalì 3 steps
F	Mirò 35 cm tall Grip
G	Leonardo 90 cm tall Grip







Ladder


### **Giotto ladder** mounting scheme

On a flat surface, typically a swim platform

The **Giotto grips are 300 mm deep on the centerline**, but of course the ladder cannot be placed right against the hull, otherwise there is no room in front of the steps for the feet. So the **maximum centerline distance** of the sockets from the deck edge is 225 mm. To leave some room for the socket flange, this means 265 mm of flat surface from the deck edge.


The **minimum centerline distance** is dictated by the need to place the deck compression pads at a safe distance from the sockets. We have two different deck pads:

- the standard ones, included in the price of all Giotto ladders, requiring at least 225 mm free on deck,




### **Giotto ladder** *mounting scheme*

On the side of the boat, with gunwale



STANDARD POSITION
On a stern platform or end of flat deck




POSITION over a gunwale, rotating the Giotto handles.

#### Giotto ladder installation

GIOTTO SYSTEM can be installed in many more different conditions, e.g. presence of gunwales, not completely flat surfaces, deck angles, stepped surfaces, and so on.

Check this sample video for inspiration: https://youtu.be/GZOkEIXe\_Ko.



#### **TECHNICAL CONSTRAINTS**

Minimum flat deck area with standard deck pads: 260 mm. 185 mm with Angled deck pads: choose your variant when ordering. Max distance between axis of female socket and deck corner with standard deck pads: 220 mm (145 mm with optional "Angled deck pads", see list of options)

# Fittings

## Fitting and customization

### **Custom painting and yacht name**



**Padded stow bag** 



**Hull pads** 



**Angled deck pads** 



**V-Hull spacer** 



**Additional installation positions** 



### **Dalì** - Fold-up and removable swim ladder

A ladder which can be left permanently on a swim platform, lying down on deck when not in use, or quickly removed with the push of a button



Steps	3 to 10	✓ Bulkhead installation			
эсерэ	3 (0 10	✓ Rotates to rest on deck			
Nominal Width	40 to 65 cm	✓ Pull-pin instant removal			
Worming Width	40 to 05 till	✓ Black hard anodized aluminium			
		hardware			
Weight	3 to 8 Kg	✓ Stainless steel and Delrin fittings			

WIDTH	3 STEPS*	4 STEPS*	5 STEPS	6 STEPS	7 STEPS	8 STEPS**	9 STEPS**	10 STEPS**
400 mm	€1,665	€1,940	€2,215	€2,490	€2,765	€3,690	€3,965	€4,240
450 mm	€1,775	€2,050	€2,325	€2,600	€2,875	€3,800	€4,075	€4,350
500 mm	€1,885	€2,160	€2,435	€2,710	€2,985	€3,910	€4,185	€4,460
550 mm	€1,995	€2,270	€2,545	€2,820	€3,095	€4,020	€4,295	€4,570
600 mm	€2,105	€2,380	€2,655	€2,930	€3,205	€4,130	€4,405	€4,680
650 mm	€2,215	€2,490	€2,765	€3,040	€3,315	€4,240	€4,515	€4,790

\*ONLY AVAILABLE IN ONE PART

**FINISHING** 

✓ Carbon fiber finishing

✓ Pull-winded carbon fiber tubes

✓ Grey non-slip tread finish


✓ Painting and Teak step surface available on request

\*\* ONLY AVAILABLE IN 2 PARTS
Add €720 for 2 parts versions with 5, 6, and 7 steps

### **GIOTTO ladder system** with **80cm tall removable handles**, swimming pool style

Available in folding versions and in 2 parts versions.

See below for special fittings to be used over a toe-rail or even double-use for side and platform use.



WIDTH	NUMBER OF STEPS								
WIDIH	3*	4*(v)	5(v)	6(v)	7(v)	8**	9**	10**	
40 cm	€4,460	€4,835	€5,210	€5,610	€6,010	€7,210	€7,660	€8,110	
45 cm	€4,510	€4,885	€5,260	€5,660	€6,060	€7,260	€7,710	€8,160	
50 cm	€4,560	€4,935	€5,310	€5,710	€6,110	€7,310	€7,760	€8,210	
55 cm	€4,635	€5,010	€5,385	€5,785	€6,185	€7,385	€7,835	€8,285	
60 cm	€4,710	€5,085	€5,460	€5,860	€6,260	€7,460	€7,910	€8,360	
65 cm	€4,785	€5,160	€5,535	€5,935	€6,335	€7,535	€7,985	€8,435	

<sup>\*</sup> only available in one part. \*\* only available in 2 parts. (v) folding version available. Add €1175 for folding version. Add €750 for 2 parts versions with 5, 6, and 7 steps.

### **Finishing**

- ✓ Carbon fiber finishing. Twill carbon fabric handles and pultruded carbon fiber tubes with UV resistant clearcoat
- ✓ Non-slip Platinum Grey RAL7036 tread finish
- ✓ Teak step surface available on request
- ✓ Choice of color available as option (see below)

Installation kit n.2 Stainless steel or black hard anodized female deck sockets with low friction polymer locking screw n.2 Delrin deck pads with locking deck disks if mounted on a wide flat surface

n. 2 Delrin/SS adjustable hull pads if mounted on a narrow surface (needs some room for frontal support) n.2 Removable handles with stainless steel rotating joints

Configuration options to specify when ordering	ADD
Stainless steel mounting kit for wide, flat surfaces (attached only to the deck with standard deck pads).	€0
Black aluminium mounting kit for wide, flat surfaces (attached only to the deck with standard deck pads).	€35
Stainless steel mounting kit for narrow, flat surfaces (attached only to the deck with angled deck pads).	€140
Black aluminium mounting kit for narrow, flat surfaces (attached only to the deck with angled deck pads).	€175
Stainless steel mounting kit with sockets on top and hull pads on the sides (sockets on gunwales or platforms with wide radius edges, using additional frontal support).	€110
Black aluminium mounting kit with sockets on top and hull pads on the sides (sockets on gunwales or platforms with wide radius edges, using additional frontal support).	€135
Stainless steel mounting kit with sockets on sloping top and hull pads on the sides (sockets with 6° flange for gunwales or platforms with wide radius edges, using additional frontal support).	€350

#### SWIM LADDER SYSTEM

Finishing options		NUMBER OF STEPS						
	3	4	5	6	7	8	9	10
Ladder choice of color (with Clearcoat)	€ 555	€ 610	€ 665	€ 720	€ 775	€ 830	€ 885	€ 940
Non-slip tread choice of color		€ 360						
Ladder Metallic choice of color	€ 885	€ 940	€ 995	€ 1,050	€ 1,105	€ 1,160	€ 1,215	€ 1,270
Teak surface	€ 1,210	€ 1,575	€ 1,940	€ 2,305	€ 2,670	€ 3,035	€ 3,400	€ 3,765

Padded stow bags	NUMBER OF STEPS							
	3	4	5	6	7	8	9	10
Stow bag price	€ 560	€ 585	€ 615	€ 635	€ 655	€ 660	€ 675	€ 685

### **Choices of color**

Slate Grey - Whisper Grey - Platinum Grey - Silk Grey - Oyster White - Off White - Snow White - Purple - Ochre Brown - Grey Beige - Desert Sand - Pebble Grey - Majestic Blue - Cobalt Blue - Aristo Blue - Navy Blue - Royal Blue

For even more colors, ask a quote.

Giotto accessories	PRICE
Additional pair of stainless steel deck fittings for deck pads (comprises sockets and locking disks)	€360
Additional pair of stainless steel deck fittings for hull pads (comprises only sockets)	€290
Additional pair of stainless steel deck fittings for hull pads and angled base (6° angled flange sockets)	€545
Additional pair of black aluminium deck fittings for deck pads (comprises sockets and locking disks)	€390
Additional pair of black aluminium deck fittings for hull pads (comprises only sockets)	€310
Retrofit pair of Delrin angled deck pads (for narrow spaces, down to 185 mm flat deck area)	€330
Additional pair of adjustable hull pads (75 to 145 mm long, with self-orienting foot, for additional stability, especially for long ladders)	€360
Additional pair of adjustable extra-long hull pads (75 to 205 mm long, with self-orienting foot, for additional stability, especially for long ladders)	€430
Retrofit pair of hull pad extension (transform standard hull pads into extra-long ones)	€70
Yacht's name on top step	€225
V Hull Support for longer ladders	€1,130

#### SWIM LADDER SYSTEM

### **Removable handrails**

35cm or 70 cm tall, with quick release frictionless screws

Leonardo 70cm tall removable carbon handrail				
Height 70cm Length 30cm	With polished stainless steel deck sockets	€ 1,300		
Weight 900g	With black hard anodized deck sockets	€ 1,300		

Mirò 35cm tall removable carbon handrail			
Height 35cm	With polished stainless steel deck sockets	€ 660	
Length 30cm Weight 700g	With black hard anodized deck sockets	€ 660	

Accessories for removable handrails	PRICE
Additional pair of stainless steel deck sockets	€290
Additional pair of hard anodized aluminium deck sockets	€310
Padded stow bag for Leonardo Grips	€215
Padded stow bag for Miro Grips	€180

### **Choices of color**

Slate Grey - Whisper Grey - Platinum Grey - Silk Grey - Oyster White - Off White -Snow White - Purple - Ochre Brown - Grey Beige - Desert Sand - Pebble Grey -Majestic Blue - Cobalt Blue - Aristo Blue - Navy Blue - Royal Blue

For even more colors, ask a quote.

## schnology


## Carbon fiber, surfaces, painting and polishing

Our carbon fiber products are produced to have the strongest and lightest structures. With this goal in mind, we exclude the use of hand-wet layup or resin infusion, the two most common technologies, also because they are usually applied with gel-coat on the mould side, which is heavy and not necessary with high performance techniques like pre-preg autoclave curing pultrusion or filament winding.

Of course, you can ask for your Exit Carbon product to be painted in any color and be assured that the painting will be done by a careful and expert hand for a correct application: with a carbon fiber surface ready-to-use, the surface is too smooth for direct painting, so it needs to be completely sanded before the application of the new color.

We sand the carbon surface, then we apply a spray filler and sand it again. The process goes on by using a primer, followed by the paint and then the clearcoat. In the same way, the application of transparent paint or a simple clearcoat is not to be underestimated: since the resin content of the composite is just right, there is micro-porosity on most yarn crossings, so thin that it's not visible if left unpainted. Unfortunately, when paint is applied, the small pore generates a sort of funnel in the paint, increasing its diameter, so the first layer of paint must be sanded and painted again until pores are adequately coated.

The natural surface of our pull-winded uni-directional tubes (hybrid technique with a filament winding applied over a pultruded tube before curing) is the one you can appreciate on our standard sun awning poles.





www.exitcarbon.com

EXIT CARBON IS MANUFACTURED

### by $\,$ EXIT ENGINEERING $\,$

For more details, please send us an email at <a href="mailto:info@exitcarbon.com">info@exitcarbon.com</a>

HEADQUARTERS

Via Industria, 43 30010 - Camponogara (VE) Italy - +39 041 89 48 038

